



Custom Industrial Conveyors

Slider Bed Belt Conveyors



**The TITAN Experience -
Expect More**




***Proven Reliability
Low Maintenance
Quick Delivery***

735 Industrial Loop Road
New London, WI 54961
800-558-3616 • Fax: 920-982-7750
Sales @ titanconveyors.com
www.titanconveyors.com

Model 102


- 1-1/2" Low profile
- Belt widths 2" to 30"
- Lengths to 10'



Titan Industries has developed the **Model 102 MINI-PRO Press Conveyor** to solve scrap handling problems from under your dies. The **MINI-PRO** has a 1 1/2" low profile frame that will easily fit under most die parallels to quickly remove scrap or finished parts. A KNURLED 2" diameter drive pulley provides positive belt pull under extremely oily conditions. Optional features include flared or vertical side rails, bottom-mounted drive, and a variety of belt types.

Model 104

- 4" Low profile
- Belt widths 4" to 48"
- Lengths to 40'



The **Model 104 Slider Bed Belt** is designed with the systems approach in mind. The square head and tail end terminals and the standard 4" deep formed frame allow you the flexibility to combine this unit with other Titan models to assure a continuous flow of material. Modular design allows you the flexibility to add additional sections if required.

Model 108

- Center guide available
- Belt widths 12" to 72"
- Lengths to 150'



If your production requirements call for a rugged, industrial designed unit, then the **Model 108 Slider Bed Belt** conveyor from Titan Industries is the unit you should choose. The **Model 108** has a rugged 8" diameter rubber lagged drive pulley. With the modular design of the Model 108 you will be able to add additional length at a later date if the need arises.

Models 104 & 108 V-Guide Conveyors

V-Guide Conveyors are applicable in the following conditions:

- Short, wide belts and long, narrow belts
- Where pulley flanges cannot be used or may interfere with products being conveyed
- Side loading or unloading applications
- Where the belt runs on its edge in a vertical position instead of lying flat on a conveyor surface
- When reversing applications are required



Floor to Floor Slider Bed Conveyors

Models 204 and 208 Conveyors take loads between floors or to storage areas. Designed to make a smooth transition at the top with bend rollers and discharge roll over. Adjustable supports and modular design make systems assembly a breeze. Options mirror those of the 104 and 108.



FLOOR TO FLOOR SLIDER BED CONVEYORS		
	MODEL 204	MODEL 208
Belt Widths	12" to 36"	12" to 48"
Other Specs	See Model 104 above	See Model 108 above
OPTIONS		
H.P., drive location, speed, fixed or variable speed, controls, power feeder, belt type, center drive & take-up, galvanized, stainless, siderails, supports, casters, other belt types, siderail skirting, special paint. Many other options available, consult factory representative		

Slider Bed Conveyor Options

Drive Locations



Bottom Mount Drive



Center Mount Drive




Top Mount Drive

Side Rails




Fully Adjustable



Fixed




Horizontally Adjustable




Skate Wheel


Nose Bar



Metal Detector




Casters



Controls



Belt Types



TITANTM
CONVEYORS

735 Industrial Loop Road
New London, WI 54961

920-982-6600
800-558-3616

sales@titanconveyors.com
titanconveyors.com